

BASELITE

FOOD WARMERS



WWW.BASELITE.COM



Baselite food warmers are designed to compliment and enhance the aesthetic appeal, design and decor of any eatery, while serving the purpose of maintaining food serving temperatures. Not only do they compliment the restaurants decor they are built to the highest commercial standards. Shades are constructed from a high grade aluminum, brass or copper and hand-spun at our own facility. Offering forty different powder coat and metal finishes, along with a wide range of shade styles, mounting options and accessories to meet your lighting needs. All Baselite products are handmade in the USA, guaranteeing a premium quality product.

ORDERING GUIDE

MODEL NUMBER

FW500/40/TSF/PTB/250W

1 2 3 4 5

- 1 - FW500 - SHADE STYLE
- 2 - 40 - FINISH OPTION
- 3 - TSF - ACCESSORY OPTION
- 4 - PTB - MOUNTING OPTION
- 5 - 250W - BULB OPTION

ADDING INTERIOR COLOR

FW500/40-41/TSF/PTB/250W


(40 EXTERIOR - 41 INTERIOR)



FOOD WARMER COLLECTION

MODEL

FWB10



Model pictured:

FWB10/99/TSF/PTB/250W


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWCY610



Model pictured:

FWCY610/95-97/BLC/250W


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWCYS610



Model pictured:

FWCYS610/22/BLC/250W


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWD10



Model pictured:

FWD10/97/TSF/PTB/250W

Shade Specifications


Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FWH10



Model pictured:

[FWH10/41/TSF/PTB/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWPEH



Model pictured:

[FWPEH/59/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWPEN



Model pictured:

[FWPEN/80/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FWPEO



Model pictured:

[FWPEO/74/BLC/250W](#)

Shade Specifications


Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FW12



Model pictured:

[FW12/81/TSF/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW13



Model pictured:

[FW13/99/TSF/PTB/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW14



Model pictured:

[FW14/62/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW15



Model pictured:

[FW15/59/BLC/250W](#)

Shade Specifications


Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FW16



Model pictured:

[FW16/61/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW17



Model pictured:

[FW17/20SB/PTB/250W](#)


Shade Specifications

Material:	Satin Brass
Finish:	Clear Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW18



Model pictured:

[FW18/44/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW90



Model pictured:

[FW90/51/BLC/250W](#)

Shade Specifications


Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FW108



Model pictured:

[FW108/21/TSF/BLC/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW300



Model pictured:

[FW300/99/TSF/PTB/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW400



Model pictured:

[FW400/41-59/TSF/PTB/250W](#)


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW500



Model pictured:

[FW500/40/TSF/PTB/250W](#)

Shade Specifications


Material:	Copper
Finish:	Clear Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FW500B



Model pictured:

FW500B/14PN/BLC/250W


Shade Specifications

Material:	Steel
Finish:	Polished Nickel
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW501



Model pictured:

FW501/78/BLC/250W


Shade Specifications

Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW600



Model pictured:

FW600/58/BLC/250W


Shade Specifications

Material:	Satin Aluminum
Finish:	Clear Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

MODEL

FW601



Model pictured:

FW601/89/BLC/250W

Shade Specifications


Material:	Heavy gauge 1100-0 aluminum
Finish:	Powder coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

FOOD WARMER COLLECTION

MODEL

FW1248



Model pictured:

FW1248/58/ST24/58/4-250W

Shade Specifications


Material:	Aluminum
Finish:	Satin Aluminum
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

Custom lengths and number of shades available upon request.

MODEL

FW1272



Model pictured:

FW1272/58/ST24/58/6-250W

Shade Specifications

Material:	Aluminum
Finish:	Satin Aluminum
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

Custom lengths and number of shades available upon request.

MODEL

FW3D10



Model pictured:

FW3D10/40/TP40/99/ST14/250W

Shade Specifications

Material:	Copper, Aluminum
Finish:	Clear Coat, Powder Coat
Voltage:	240 V
Wattage:	375 W (max)

Note: See pages 11 & 12 for mounting options, accessory options and finish options. Brass, copper and steel options available on finish options page.

Custom stem lengths and number of shades available upon request.



FOOD WARMER COLLECTION

MOUNTING OPTIONS



BLC - 96" Black Cord
WHC - 96" White Cord




TCB - 96" Black Cord & Cable
TCW - 96" White Cord & Cable



ST12 - 12" Stem and Swivel
*Customized lengths available STXX
(XX = millimeters desired)




TLB - 60" Black Telephone Cord & Cable
TCW - 60" White Telephone Cord & Cable



FA12 - 12" Flexible Stem
FA18 - 18" Flexible Stem
FA24 - 24" Flexible Stem



PTB - Retractable Black Telephone Cord
PTW - Retractable White Telephone Cord
(Pulley system adjustable from retracted 2.5' to extended 5'
(TSC not available)



AM11 - 11" Arm Mount
(Customized Lengths. Restrictions apply)

ACCESSORIES



TSF - Fixture Mounted Switch
(see notes below)



TSC - Canopy Mounted Switch



TSR - Remote Switch
(see notes below)



HTRB4 - 4' Black Track
HTRB8 - 8' Black Track
HTRW4 - 4' White Track
HTRW8 - 8' White Track



ADPB - Black Track Adapter
ADPW - White Track Adapter

BULBS

250WCC - 250 Watt Heat Lamp - 120V - Clear Coated


375WCC - 375 Watt High Heat Lamp - 120V - Clear Coated



NOTES

- 375 WATT BULBS NOT AVAILABLE FOR THE FOLLOWING FIXTURES : FWPEM, FWPEL, FW15, FW16, FW12 & ACCESSORY - TSF
- DO NOT ADD REMOTE SWITCH TO PART NUMBER WHEN ORDERING, USE A SEPARATE LINE ITEM.

FINISH OPTIONS




14PN - Polished Nickel



20PB - Polished Brass



20SB - Satin Brass




21 - Oil Rubbed Bronze



22 - Old Pewter




40 - Copper




41 - Black



42 - Dark Green



43 - Red




44 - White



45 - Medium Blue




46 - Yellow



48 - Polished Aluminum



50 - Navy Blue



51 - Architectural Bronze



53 - Rust



57 - Polished Aluminum



58 - Satin Aluminum



59 - Coppertone




60 - Canal Green



61 - Anodized Charcoal



62 - Anodized Bronze



74 - Gun Metal



75 - Distressed Red



76 - Distressed Blue




77 - Distressed Green



79 - Ghost Orange



80 - Pale Gold



81 - Metallic Bronze



82 - Black Gold



83 - Shocker Green



84 - Faded Blue



87 - Champagne



88 - Flamed Steel



89 - Taupe




91 - Pacific Pine



93 - Faded Copper



95 - Turquoise



97 - Battleship Grey




99 - Steel

SPECIFICATIONS

1. 14PN - POLISHED NICKEL - COMES STANDARD WITH A WHITE INTERIOR UNLESS SPECIFIED WITH ANOTHER INTERIOR COLOR.
2. COPPER, BRASS, STEEL AND NICKEL FINISH OPTIONS ARE NOT AVAILABLE FOR THE FOLLOWING FIXTURES : FWCYS610, FWCY610, FWPEM, FWPEN, FWPEL, FWPEO, FW16.
3. INTERIOR COLOR OPTIONS: 21, 22, 41, 42, 43, 44, 45, 46, 48, 50, 51, 53, 59, 60, 74, 79, 80, 81, 82, 87, 89, 91, 95, 97, 99.
4. ALL FINISH OPTIONS ARE THE SAME COLOR INSIDE AND OUT OF THE FIXTURE.

OUR STORY

BASELITE HAS MANUFACTURED FOOD WARMERS ALONG WITH DECORATIVE AND COMMERCIAL LIGHTING FOR THE PAST 30 YEARS. THROUGH THE YEARS BASELITE HAS REFINED HOW TO DESIGN FOOD WARMERS TO LAST FOR YEARS TO COME. AVAILABLE IN MULTIPLE STYLES AND OPTIONS, BASELITE HAS THE STYLE THAT WILL HELP REFRESH YOUR OPEN KITCHEN, RESTAURANT, BAR, HOTEL, ETC. START YOUR NEXT PROJECT WITH US AND FIND MORE INFORMATION AT WWW.BASELITE.COM



CHOOSE YOUR STYLE



FW17/20SB/TLB/250W



FW400/41-59/BLC/250W



FWCY610/95-97/BLC/250W



FW300/57/TSF/BLC/250W

CUSTOMIZE

CUSTOMIZE YOUR HEAT LAMP WITH YOUR KITCHEN'S DECOR. CHOOSE YOUR SHADE STYLE, COLOR, MOUNTING OPTION AND ACCESSORY. BASELITE CAN ARRANGE ANY SHADE AND MOUNTING OPTION DESIRED. WITH THIS CAPABILITY YOU CAN CHOOSE THE RIGHT FIXTURE AND OPTIONS THAT WORK FOR YOUR SPECIFIC KITCHEN SETUP. IF YOU DON'T SEE A FINISH OPTION THAT WORKS FOR YOU, LET US KNOW, WE CAN DO A CUSTOM COLOR TO MATCH YOUR DECOR.



FW15/59/BLC/250W



FW500/40/TSF/PTB/250W



FW108/21/TSF/BLC/250W



FWD10/97/BLC/250W



TERMS AND CONDITIONS OF SALE

TERMS

Payment terms are as follows. Discount 1% paid within 10 days. Net 30 days from date of invoice for freight allowance. All C.O.D. orders will have appropriate C.O.D. fees added to total of order.

GENERAL CONDITIONS

Orders will be billed at priced in effect at time of shipment. Prices are subject to change without notice. CANCELLATION REQUESTS MUST BE RECEIVED IN WRITING. Cancellation of order will only be accepted upon payment of reasonable charges based up on expenses already incurred by BASELITE.

WARRANTY - FIXTURE

Baselite will repair or replace, F.O.B. factory, freight prepaid, any BASELITE product defective in workmanship or materials. Such replacement is the exclusive remedy against BASELITE should any of the fixtures delivered prove defective, and is limited to a one year from date of shipment for materials and 90 days labor. We reserve the right to determine the best method of correcting problems.

NO CHARGE-BACK OR CHARGE FOR LABOR OR MATERIAL WILL BE PAID THAT DOES NOT HAVE OUR PRIOR WRITTEN APPROVAL. COMPONENTS NOT MANUFACTURED BY BASELITE ARE SUBJECT TO THE ORIGINAL MANUFACTURER'S GUARANTEE.

WARRANTY – BALLAST/LED DRIVER

Ballast, capacitors are guaranteed by the ballast manufacturer. Units will be exchanged by the local ballast manufacture's authorized dealer or by BASELITE, acting as their agent. Neither the ballast manufacturer, his agent BASELITE will honor cash reimbursement claim to cover material charges for replacement ballasts, capacitors or ignitors. LED DRIVERS guaranteed is limited to three year from date of purchase. **No charges for rental of equipment or travel time will be accepted.**

FREIGHT ALLOWANCE

Freight FOB Chino, CA 91710, with a shipment totaling \$3,000.00 EXCLUDING OVERAGE or more (unless other arrangements have been made prior to order with Baselite) per shipment per destination in the United States excluding Alaska, Hawaii, American Samoa, Guam, the Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands, APO/FPO addresses and any island that does not have road access.

Payment must be received by invoice due date for freight allowance deduction.

*Shipments that are requested to be Next Day, Second Day, Air Freight or anything other than STANDARD GROUND are NOT freight allowed.

*Poles are not freight allowed.

*If anchor bolts and template are required before scheduled ship date, a separate shipping charge will apply to customer.

*Pallet, appointment, life gate, construction site, residential fees are non-deductible.

*Appointment fee - \$10.00 - Lift gate fee - \$60.00 - Pallet - \$15.00 each. Construction site/residential - fees per carrier.

*Shipments subject to change of address are subject to a fee of \$20.00. Incorrect address, non deliverable address or refused shipments are subject to a fee of \$10.00 plus freight expense.

FREIGHT CLAIMS- SHIPMENTS TRAVEL AT PURCHASER'S RISK. TITLE PASSES TO CONSIGNEE ON DELIVERY TO THE CARRIER. ALL CLAIMS FOR LOSS OR DAMAGE IN TRANSIT MUST BE MADE TO THE DELIVERING CARRIER BY THE CONSIGNEE.

EXPEDITING FEE- \$200.00 Minimum or 20% of total order, which ever is greater.

RETURN OF MATERIAL

Material cannot be returned without prior written permission from the factory. Requests to return material must be made within 30 days from the date of shipment and must show customer's order number, BASELITE's invoice number and date. Material accepted for credit is subject to a 50% restocking charge, freight both ways, and any reconditioning and recartoning charges that are necessary. CUSTOM-MADE OR DISCONTINUED ITEMS ARE NOT RETURNABLE MATERIAL. Return shipments must be made within 30 days from RGA. Material must be new, in original factory cartons, subject to inspection.

DAMAGE OR UNSALEABLE MATERIAL WILL BE CREDITED AT SALVAGE VALUE OR LESS COST OF REPAIRS.



BASELITE CORPORATION

12260 EAST END AVE. CHINO, CA 91710